



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|------------------------|---------------------|------------------|
| 10/679,181 | 10/03/2003 | Gordon Bowman | GLH 08-896329 | 2790 |
| 27667 7590 06/09/2009 HAYES SOLOWAY P.C. 3450 E. SUNRISE DRIVE, SUITE 140 TUCSON, AZ 85718 | | | | |
| EXAMINER AUGUSTINE, NICHOLAS | | | | |
| ART UNIT 2179 | | PAPER NUMBER | | |
| MAIL DATE 06/09/2009 | | DELIVERY MODE PAPER | | |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/679,181

Applicant(s)

BOWMAN ET AL.

Examiner

NICHOLAS AUGUSTINE

Art Unit

2179

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 April 2009.
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 2, 4-9, 11-13, 16-22, 25 and 27 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 2, 4-9, 11-13, 16-22, 25 and 27 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO/SB/888)
Paper No(s)/Mail Date _____
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____

DETAILED ACTION

- A. This action is in response to the following communications: Request for Continued Examination filed 04/03/2009.
- B. Claims 2, 4-9, 11-13, 16-22, 25 and 27 remains pending.
-

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 04/03/2009 has been entered.

Claim Objections

2. Claim 22 objected to because of the following informalities: a typo appears as the claim currently says it depends from claim 11 not 21 yet claims 11 is directed towards a system not a method. Appropriate correction is required.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent

granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 4-7, 11-13, 16-17, 20-21, 25 and 27 are rejected under 35 U.S.C. 102(e) as being anticipated by Bowers, Clarke Daniel (US Pub. 2003/0203342), herein referred to as "Bowers".

As for dependent claim 4, Bowers teaches the system as claimed in claim 27, wherein the skin template is associated with the use interface control element by a reference attribute that comprises a reference to the location of a skin template file comprising the collection of presentation markup language describing the user interface control element (par.104, 142,156,261).

As for dependent claim 5, Bowers teaches the system as claimed in claim 27, wherein the user interface control element is associated with an extensible markup language based element (par.102,120).

As for dependent claim 6, Bowers teaches the system as claimed in claim 5, wherein the user interface control element is a parent of an extensible markup language based element (par.102,120).

As for dependent claim 7, Bowers teaches the system as claimed in claim 5, wherein the control element is a child of an extensible markup language based element (par.102, 120).

As for dependent claim 11, Bowers teaches the system as claimed in claim 27, wherein the core attributes comprise state attributes for specifying the identification of a <state> child element of the control element (par.28).

As for dependent claim 12, Bowers teaches the system as claimed in claim 27, wherein the core attributes comprise one or more of: *an identification attribute for referencing the control element*(figures 14A-B); par.181; wherein described is storage of attributes where the attributes are used to render the test correctly according to the attributes) ; *a label attribute for associating text control*; *a height attribute for specifies the height of the control element* (par.181; height information 613); *a disabled attribute for specifying whether the control element is disabled and cannot be used*; *a state hover attribute for specifying the identification of a <state> child element of the control element, the state hover attribute used to override the appearance of a hover state as defined in a skin of the control element*; *a state focus attribute for specifying the identification of a <state> child element of the control element, the state focus attribute used to override the appearance of a focus state as defined in a skin of the control element* ; *a state up attribute for specifying the identification of a <state> child element of the control*

element, the state up attribute used to override the appearance of an up state as defined in a skin of the control element; a state down attribute for specifying the identification of a <state> child element of the control element, the state down attribute used to override the appearance of a down state as defined in a skin of the control element; a state hit attribute for specifying the identification of a <state> child element of the control element, the state hit attribute used to override the appearance of a hit state as defined in a skin of the control element; a state disabled up attribute for specifying the identification of a <state> child element of the control element, the state disabled up attribute used to override the appearance of a disabled up state as defined in the skin of the control element; and a state disabled down attribute for specifying the identification of a <state> child element of the control element, the state disabled down attribute used to override the appearance of a disabled down state as defined in a skin of the control element (par.104; Table 1; par.116,142, 156,168,173; figure 14 and 37-44; throughout the disclosure of Bowers using at least these cited portions is explained of the process of using attributes stored in memory for rendering a graphical user interface wherein the interface is changed/modified during the course of execution of the system as disclosed by Bowers).

As for dependent claim 13, Bowers teaches the system as claimed in claim 12, wherein the set of control elements comprises one or more of: It is evident that the following: button, combo box, list box, list view, context menu, item, text box, slider, scrollbar and

spin dial, are taught by Bowers through the depiction of the figures and thus only one will be analyzed in detail.

a dsvg:button control element for defining a control that is clicked to trigger an action (pg.16, object-button, event-onClick), the dsvg:button control element comprising: a namespace following the predetermined naming convention (figure 8 and 14, par.118,183); the common attributes (par.118); other attributes comprising: a toggle attribute for specifying whether the button is a toggle or a sticky button; a group attribute for specifying the name of a group to which the button control element belongs; and a checked attribute for specifying whether the button control element is down/checked or up/unchecked (par.92 and 95; selection plug-in); a skin template reference attribute for specifying the location of a control element skin template (par.187; area storage 764), the skin template reference settable to a uniform resource index (par.268; URI used in attributes of the item); and a customizable skin template comprising scalable vector graphics markup contained as children of a container element (par.181-187 there is described in par.181, Forms branch 600 which describes the attributes for the forms; par.182, event information 607 which describes events happening; par.183-184, items branch 650 which are element to be delivered to the form (test questions; having selection elements and the graphical means of displaying user interaction);par.185, Category branch 700 displays test categories for testing; par.186, templates branch 750 describes how to graphical display the test using template definition attributes; par.187, area storage 764 for storing the attributes of the templates; par.188, section branch 800 used for how to display linked sets of information for in response to user interaction;

par.189 timer storage for attributes in navigation of timed events and par.190 for event information 856 which defines the order of event). With this outline is described a set of branches each having attributes used by the system to render a final presentation to the user; wherein the final presentation contains a graphical user interface having graphical and textual information used to test a user through interaction with selectable controls throughout the graphical user interface.

As for dependent claim 16, Bowers teaches a method of controlling user interface features of a web application, the method comprising the steps of: describing the web application using presentation markup language that has been extended to include a collection of user interface control elements (par.87-88; wherein plugin's consist of user interface control elements), the web application description including a user interface control comprising a name element for associating the user interface control of the web application with a user interface control element of the collection of user interface control elements;

searching in a document object model (DOM) of the web application, for user interface controls of the web application, the user interface controls identified by a namespace associated with user interface control elements of the collection of user interface control elements included in the extended presentation markup language (par.103,120, 220, 261; wherein the system stores user interface control elements in an object model for

storage and retrieval for execution of the system to build a presentation display to the user during execution);

generating a function name associated with the user interface controls based on the namespace of the user interface control element associated with the located user interface control of the web application (par.182 the system making use of a namespace for organization of control elements to the graphical user interface being built/edited);

calling user interface control instructions associated with the user interface controls through the generated function name, each of the user interface control instructions defining the behavior of the user interface control element (par.181-183); and

rendering the DOM of the web application described in the extended presentation markup language, including rendering the user interface control of the web application based on at least a skin template associated with the user interface control element (par.103,120,182,191 and 238-239; wherein the system will render the final display to the user based upon the presentation data stored within the system which consist of XML, object model objects, user interface control elements, items and helms).

As for dependent claim 17, Bowers teaches the method as claimed in claim 16, wherein the step of searching includes the steps of: traversing each node in the document object model; and determining whether the node has a name which matches a designated naming convention (par.104).

As for dependent claim 18, Bowers teaches the method as claimed in claim 16, wherein

the step of calling a script includes the steps of performing a function stored in memory having the generated function name (note claim 16 above); dynamically generating a function name associated with the designated element (par.156,168,173); passing an object associated with the designated element as a parameter of the generated function(par.120,168,173); retrieving the attributes of the object; and performing a function stored in memory having the generated function name (par.125-126).

As for dependent claim 19, Bowers teaches the method as claimed in claim 18, wherein the step of generating function name includes the steps of (note claims 16 and 18 above); generating a function name comprising of the name of the designated element (par.156,168,173); assigning an object associated with the designated element as the parameter of the function (par.120,168,173); and assigning control instructions of the designated element as steps for the function to perform (par.125-126I).

As for dependent claim 20, Bowers teaches the method as claimed in claim 16, further comprising the steps of: searching for a control attribute of a user interface control element in a document object model; and calling control attribute instructions associated with the control attribute (par.183.).

As for dependent claim 21, Bowers teaches the method as claimed in claim 20, wherein the step of searching for a designated attribute comprises the steps of: searching

attributes of an element in a document object model; determining whether an element attribute has a name which follows a designated naming convention (par.181, 183).

As for dependent claim 22, Bowers teaches the method as claimed in claim 21, wherein the step of calling a script includes the steps of: determining if the name of the designated attribute contains a designated prefix; generating a function name comprising of the name of the designated attribute (par.156,168,173); assigning an object associated with the designated attribute as the parameter of the function name (par.120,168,173); and assigning predetermined instructions of the designated attribute as steps for a function having the function name to perform (par.125-126).

As for dependent claim 25, Bowers teaches a method of controlling user interface features of a web application (pg.9, lines 1-2 of par.2), the method comprising the steps of: adding a behavior element as a child of a user interface control element; receiving an event which is equal to an event attribute setting in the behavior element ; and calling behavior element instructions associated with the behavior element (par.96).

As for independent claim 27, Bowers teaches a system for controlling user interface features of a web application, the system comprising: a collection of user interface control elements including a user interface control element associated with a user interface control identified in the web application, the user interface control comprising a name element for associating the user interface control of the web application with the

user interface control element of the collection of user interface control elements, the web application described in presentation markup language that has been extended to include the collection of user interface control elements, each of the user interface control elements of the collection (par.87-88, 103, 120, 220) comprising:

namespace for associating the user interface control element with the user interface control of the web application, the namespace including a prefix for identifying the user interface control of the web application associated with the user interface control element as part of the extended presentation markup language (par.147148);

a set of core attributes common to all of the user interface control elements in the collection of user interface control elements (e.g.par.118, definition of an item wherein shown in the table are common definable attributes);

a collection of skin templates, each of the skin templates associated with one of the user interface control elements through one of the core attributes of the user interface control elements, each of the skin templates describing how to display the User interface control element associated with the skin template, each of the skin templates described in the presentation markup language (par.117, 134 and 137; management of templates under template class, where the template defines the look of the element ("skin"));

a parser for parsing the web application described in the extended presentation language, the parser parsing the user interface control of the web application associated with the user interface control element into a document object model (DOM) of the web application (par.116-117; system goes through a document written in the

presentation language to define symbols to objects performing a syntactic analysis of the document for presentation later to the user) and a viewer for rendering the DOM of the web application described in the extended presentation markup language, including rendering the user interface control of the web application based on at least one of the skin templates associated with the user interface control elements, the viewer comprising a collection of user interface control instructions, each of the user interface control instructions associated with one of the user interface control elements through a function name, the function name based on the namespace of the user interface control element, each of the user interface control instructions defining the behavior of the user interface control element to control user interface features of the web application (par.103,120,182,191 and 238-243; wherein the system will render the final display to the user based upon the presentation data stored within the system which consist of XML, object model objects, user interface control elements, items and helms).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions

covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

7. Claims 2 and 8-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bowers.

As for dependent claim 2, Bowers teaches the system as claimed in claim 27, further comprising an initialization function associated with the viewer for directing the processing one or more control elements in a document object model of the extended presentation markup language defining the web application (par.120,220,261), searching for nodes identified by the namespace functions associated with the user interface control elements having names following the predetermined naming convention generating the function name based on the user interface control identifier of control elements of the nodes identified by the namespace, the function name generated following a predetermined naming convention and calling the user interface control instructions associated with the control element through the generated function name associated with the control elements, the namespace having names following a predetermined naming convention (par.116,142156,168,173) .

However, Bowers does not expressly disclose that the initialization function comprising instructions for traversing each node in a document object model. It would have been

obvious to one of ordinary skill in the art at the time of the invention was made to include a initialization function comprising instructions for traversing each node in a document object model, in view of Bowers, because Bowers suggest to the skilled artisan that in paragraphs 104 and 220; table 1; the "INavigate (navigation plug-in); which is the COM interface is used to traverse through the graphical user interface that makes up the test (GUI presented to the user) wherein the test is made up of a XML document in a DOM "document object model"; thus when the COM plug-in traverses the test it is obviously traversing a DOM which makes up the test (GUI) to access nodes in the XML document; further note par's.120,220,261).

Comment [sbt1]: By this very definition this reference then is not a 102 because you don't have a specific recited statement in the reference to make it a 102. You have to apply knowledge in the art to the reference to understand and interpret that the DOM is traversed. This simply can be fixed by making this a single reference 103 with a rationale that one would know that the COM interface traverses XML documents.

As for dependent claim 8, Bowers teaches the system as claimed in claim 2, further comprising: a collection of control attributes for adding to the core attributes, the control attributes following the predetermined naming convention; and a collection of control attribute instructions for performing actions associated with the collection of control attributes, each instruction associated with a control attribute (figure 11 and 14; par. 150,183).

As for dependent claim 9, Bowers teaches the system as claimed in claim 8, wherein searching and calling functions associated with user interface control elements and the control attributes having names following the predetermined naming convention (par.104; table 1; par.158).

However, Bowers does not expressly disclose that the initialization function comprising

instructions for traversing each node in a document object model. It would have been obvious to one of ordinary skill in the art at the time of the invention was made to include a initialization function comprising instructions for traversing each node in a document object model, in view of Bowers, because Bowers suggest to the skilled artisan that in paragraphs 104 and 220; table 1; the "INavigate (navigation plug-in); which is the COM interface is used to traverse through the graphical user interface that makes up the test (GUI presented to the user) wherein the test is made up of a XML document in a DOM "document object model"; thus when the COM plug-in traverses the test it is obviously traversing a DOM which makes up the test (GUI) to access nodes in the XML document; further note par's.120,220,261).

Comment [sb12]: By this very definition this reference then is not a 102 because you don't have a specific recited statement in the reference to make it a 102. You have to apply knowledge in the art to the reference to understand and interpret that the DOM is traversed. This simply can be fixed by making this a single reference 103 with a rationale that one would know that the COM interface traverses XML documents.

(Note :) It is noted that any citation to specific, pages, columns, lines, or figures in the prior art references and any interpretation of the references should not be considered to be limiting in any way. A reference is relevant for all it contains and may be relied upon for all that it would have reasonably suggested to one having ordinary skill in the art. In re Heck, 699 F.2d 1331, 1332-33, 216 USPQ 1038, 1039 (Fed. Cir. 1983) (quoting In re Lemelson, 397 F.2d 1006,1009, 158 USPQ 275, 277 (CCPA 1968)).

Response to Arguments

Applicant's arguments with respect to claims 2, 4-9, 11-13, 16-22, 25 and 27 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Inquires

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nicholas Augustine whose telephone number is 571-270-1056 and fax is 571-270-2056. The examiner can normally be reached on Monday - Friday: 9:30am- 5:00pm Eastern.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Weilun Lo can be reached on 571-272-4847. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Steven B Theriault/
Primary Examiner, Art Unit 2179

/Nicholas Augustine/
Examiner
Art Unit 2179
May 28, 2009